

INDEX

Synonyms are printed in *italics*; new names in **bold-face type**.

- Abies, *Pucciniastrum* on *Epilobium* and, 163
Acacia Senegal, 344
Acalypha Evrardii, 40
— *Gagnepainii*, 39
— *siamensis*, 39
— *siamensis*, 39
— *Skutchii*, 120
Acanthus arborescens, 367
— *arboreus*, 367
Acer Bodinieri, 82
— **brevilobum**, 85
— *crassipes*, 85
— *decandrum*, 44
— *Fabri*, 44
— *Fenzelianum*, 45
— *Hayatae glabra*, 80
— *insigne*, 82
— — *glabrescens*, 83
— — *longiloba*, 83
— — *obtusiloba*, 83
— — *Van Volxemi*, 83, 84
— — *velutina*, 82
— — *velutinum*, 82
— — *Wolfii*, 84
— *Kakheti*, 84
— *laetum parviflorum*, 80
— *Meikets*, 86
— *Mono*, 80
— — *connivens*, 81
— — *marmoratum*, 81
— — *tricuspis*, 82
— *oblongum biauritum*, 87
— — *concolor*, 45
— *palmatum*, 85
— *palmatum*, 85
— — *euseptemlobum*, 86
— — *genuina*, 86
— — *heptalobum*, 86
— — *normale*, 86
— — *palmatum*, 85
— — *quinquelobum*, 86
— — *septemlobum*, 86
— — *Thunbergii*, 86
Acer *parviflorum*, 85
— *Paxii*, 87
— *pennsylvanicum parviflorum*, 85
— *pictum*, 80, 81
— — *connivens*, 81
— — *eupictum*, 81
— — *marmoratum*, 82
— — *Mono*, 80
— — *parviflorum*, 80, 85
— — *tricuspis*, 82
— *polymorphum palmatum*, 86
— — *septemlobum*, 86
— *Pseudo-Platanus Van Volxemi*, 84
— *septemlobum*, 86
— *tenellum*, 82
— *Van Volxemii*, 84
— *velutinum*, 82
— — *glabrescens*, 83
— — *longilobum*, 83
— — *Van Volxemii*, 84
— — *Wolfii*, 84
— *Volxemi*, 84
Achimenes sesamoides, 67
Acmena DC., a valid genus of the Myrtaceae, A synopsis of, 1
Acmena acuminata, 19
— *acuminatissima*, 12, 205, 245
— *brachyandra*, 17
— *bracteolata*, 19
— *caudata*, 11
— *Championii*, 19, 219
— *chinensis*, 19
— *claviflora*, 19
— *Dielsii*, 18
— *dispansa*, 18
— *divaricata*, 17
— *floribunda*, 16, 19
— — *elliptica*, 16
— *Gerrardi*, 19
— *grata*, 19
— *hemilampra*, 15
— *laevifolia*, 18
— *lanceolata*, 19
— *leptantha*, 20

- Acmena melanosticta*, 12
— obliqua, 20
— parviflora, 20
— polyantha, 11
— Smithii, 16
— minor, 16
— Wightiana, 20
— zeylanica, 20
Acorus Calamus, 322
— verus, 322
Acrostichum hastatum, 312
— quercifolium, 315
— trifoliatum, 315
Actinidia indochinensis, 53
Adenorachis atropurpurea, 75
Adesmia Pirionii, 251
Adiantum lunulatum, 313
— pteridioides, 314
— pteroides, 314
Adinandra Drakeana, 55
— Millettii, 55
Aechmea lingulata, 323
Agapetes caulinflora, 59
Agave sobolifera, 325
Ageratum altissimum, 371
Agrostis javanica, 319
Ailanthus altissima sutchuenensis, 37
— sutchuensis, 37
— sutchuensis, 37
Akebia quinata, 339
Aletris japonica, 324
Allophylus macrodontus, 45
— Petelotii, 46
— viridis, 46
Aloe americana sobolifera, 325
Alopecurus bengalensis, 320
Alsine segetalis, 338
— segetum, 338
Alternanthera sessilis, 336
Altingia chinensis, 33
— gracilipes serrulata, 33
Alysicarpus vaginalis, 344
Amaranthus gangeticus inamoenus, 336
— inamoenus, 336
— japonicus, 336
— Mangostanus, 336
Amaryllis dubia, 326
— sarniensis, 325
Amentotaxus argotaenia, 22
Ampelopsis cantoniensis grossedentata, 50
Amygdalus Besseriana, 277
— campestris, 277
— fructicosa, 275
— Gaertneriana, 277
— georgica, 275
— Heuckeana, 275
— latifolia alba, 278
— Ledebouriana, 275
— nana, 275
— — angustifolia, 276
— — Besseriana, 277
— — biserrata, 278
— — campanuloides, 278
— — campestris, 277
— — flore albo, 276
— — flore purpureo, 276
— — georgica, 275
— — latifolia, 277
— — microflora, 278
— — sibirica, 277
— — speciosa, 276
— — vulgaris, 275
— Pallasiana, 275
— sibirica, 277
Amyris polygama, 254
Anagallis capensis, 365
— flava, 360
Andropogon capense, 317
— muticus, 318
Anemone cicutifolia, 248
— japonica, 338
— polypetala, 339
— nipponica, 339
Anemonoides, 338
Angophora intermedia, 19
Aniseia biflora, 361
Anthephora elegans, 317
— hermaphrodita, 317
Antholyza caryophyllacea, 330
— caryophyllea, 330
— revoluta, 326
Anthoxanthum indicum, 320
Anthyllis ensifolia, 348
Antidesma Fleuryi, 134
— hainanense, 134
Aporosa lanceolata, 40
— Wallichii yunnanensis, 40

- Aporosa yunnanensis*, 40
Arabis virginica, 342
Argylia checoensis, 261
— *geranioides*, 261
Aristida avenacea, 321
Aristolochia Clematitis, 333
— *tenuis*, 333
Arnold Arboretum during the fiscal year ended June 30, 1938, The, 446
Arnold Arboretum, Staff of the, 461
Aronia atropurpurea, 75
— *floribunda*, 74
— *prunifolia*, 74
Artanema longiflorum, 67
— *longifolium*, 67
— *sesamoides*, 67
Artocarpus dimorphophylla, 331
— *echinata*, 331
— *rigida*, 331
— *rotunda*, 331
Aspalathus divaricata, 345
— *pedunculata*, 345
Asphodelus comosus, 323
Aspidium truncatulum, 313
Asplenium Trichomanes, 312
— *trichomanoides*, 312
Assa exotica, 354
— *indica*, 354
Astragalus species of Ecuador and Peru,
 Notes on some, 88
Astragalus alienus, 92
— *Brackenridgei*, 95
— *brevidentatus*, 96
— *Cracca*, 91
— *Edmonstonei*, 95
— *Garbancillo varus*, 93
— *geminiflorus*, 90
— *imputatus*, 92
— *macrorrhynchus*, 92
— *ocrosianus*, 91
— *Pickeringii*, 93
— — *serpens*, 93
— *Richii*, 92
— *romasanus*, 95
— *salubris*, 95
— **Sprucei**, 88
— *Weberbaueri*, 89
Athamantha capensis, 357
Atractylis angustifolia, 369
Atragene japonica, 339
Avena lupulina, 318
Azalea viscosa, 359
— *viscosa*, 359
Azara Gilliesii, 260
— *petiolaris*, 260
Baeckea chinensis, 194
— *cochininchinensis*, 194
— *Cumingiana*, 194
— *frutescens*, 194
— *sumatrana*, 194
Basilaea punctata, 323
Basilima Lindleyana, 74
Basteria aculeata, 369
— *capensis*, 369
Bauhinia from China, New species of,
 129
Bauhinia Bohniana, 129
— *cateriflora*, 129
— *chalcophylla*, 130
— *didyma*, 131
— *dolichobotrys*, 35
— *euryantha*, 131
— *hainanensis*, 132
— *pernervosa*, 132
Begonia Handelii, 57
Beilschmiedia foveolata, 30
— *Roxburghiana*, 30
Berkheya aculeata, 369
— *angustifolia*, 369
— *cruciata*, 370
— *lanceolata*, 369
— *obovata*, 369
— *spinosa*, 369
Betula alba, 283
— — *japonica*, 72
— — *kamtschatica*, 73
— — *mandshurica*, 72
— — *resinifera*, 73
— — *Tauschii*, 72
— — *vulgaris*, 72, 73
— *japonica*, 72
— — *camtschatica*, 73
— — *mandshurica*, 72, 73
— — *pluricostata*, 72
— — *resinifera*, 73
— — *Rockii*, 74
— — *sachalinensis*, 73
— — *szechuanica*, 73

- Betula latifolia*, 72
 — *mandshurica*, 72
 — — *japonica*, 72
 — — *kamtschatica*, 73
 — — *Rockii*, 74
 — — *szechuanica*, 73
 — *pendula japonica*, 72
 — — *Tauschii*, 72, 73
 — — *typica*, 73
 — *verrucosa japonica*, 73
Bezanilla chilensis, 263
 Bibliography of the published writings
 of the staff and students, 457
 Biology of rusts of the genus Uredinop-
 sis, The, 402
Blechnum japonicum, 315
Blumeopsis falcata, 70
 — *flava*, 70
Boenninghausenia albiflora, 37
Bonnaya hyssopioides, 366
 Botanical results of the Archbold Expe-
 ditions, XI. Notes on the vegetation
 of the Fly and Wassi Kussa Rivers,
 British New Guinea, 175, 462, pl. 221–
 223, map
Botrychium virginianum, 317
Brachylaena elliptica, 370
Bramia Monnierii, 365
 BRASS, L. J. Botanical results of the
 Archbold Expeditions, XI. Notes on
 the vegetation of the Fly and Wassi
 Kussa Rivers, British New Guinea,
 175, 462, pl. 221–223, map
Bretschneidera sinensis, 46
Bromelia lingularis, 323
 — *lingulata*, 323
Bromus ciliaris, 317
 — *ciliatus*, 317
Brongniartia Abbottiae, 120
Bryum argentatum, 312
 — *argenteum*, 312
Bubon gummiferum, 357
Buddleia hypsophila, 127
Caesalpinia stenoptera, 35, fig.
Calendula rosmarinifolia, 374
Calesium grande, 353
Callitricha autumnalis, 353
Calodendrum capense, 350
Calophyllum sp., 355
Calyptranthes mangiferifolia, 245, 246
Calyptranthus caryophyllifolia, 109
Canscora Petelotii, 63
Cansjera manillana, 25
Canthium Labordei, 69
Cardamine virginiana, 342
 — *virginica*, 342
Carex cyperoidea, 321
 — *cyperoides*, 321
Carophyllum diminutus, 338
 — *malaccensis*, 215
Caryopteris incana, 362
Casearia Petelotii, 56
Caucalis Anthriscus, 358
 — *japonicus*, 358
Cedrela rosmarinus, 194
Celastrus gemmata, 41
 — *Hookeri*, 41
 — *Loeseneri*, 41
 — *monosperma*, 41
Celosia argentea, 337
 — *japonica*, 337
Cenia turbinata, 371
Cephalotaxus argotaenia, 22
Cerastium aquaticum, 26
 — *viscidum*, 337
 — *viscosum*, 337
 — *vulgatum*, 26
Cerasus acuminatus, 35
 Chamaecrista Moench, Cytological evi-
 dence on the status of the genus, 153,
 fig.
Champereia Griffithiana, 25
 — *manillana*, 25
 CHEN, LUETTA, New species of Bauhinia
 from China, 129
Chloris capensis, 317
 — *petraea*, 318
Cissampelos hernandifolia, 340
Citrus aurantifolia, 351
Clavimyrtus latifolia, 109
 — *lineata*, 109
Cleistocalyx conspersipunctatus, 246
 — *operculatus*, 245, 246
Clematis Buchananiana, 26
 — *florida*, 338
 — *japonica*, 338
 — *polypetala*, 339
 — *ternata*, 339

- Clerodendron Petasites*, 65
 — *Robinsonii*, 65
 — *Squiresii*, 64
 — *subpandurifolium*, 65
Cliffortia conifera, 343
 — *strobilifera*, 343
Cnidium suffruticosum, 357
Cobaea Skutchii, 128
Codariocalyx gyrans, 346
 Colchicine on somatic cells of *Tradescantia paludosa*, The effect of, 158, pl. 219, 220
 Colchicine on the developing embryo sac of *Tradescantia paludosa*, The effect of, 442, pl. 224, 225
Columnea longifolia, 67
Colutea frutescens, 348
 — *fruticosa*, 348
Conium rigens, 357
 — *rigidum*, 357
 — *suffruticosum*, 357
Convolvulus bifidus, 361
 — *biflorus*, 361
 — *umbellatus*, 361
Conyza fasciculata, 70
 — *pinifolia*, 375
 — *pusilla*, 370
Coptis trifolia, 339
Corchorus japonicus, 344
Corriola littoralis, 337
 — *littorea*, 337
Corydalis temulifolia, 32
Cotula pumila, 371
 — *turbinata*, 371
Cotyledon Umbilicus, 343
 — — *Veneris*, 343
Craigia yunnanensis, 52
Crataegus coccinea, 285
 — *tomentosa*, 287
Cratoxylon parvifolium, 56
Crawfurdia fasciculata, 63
 — *speciosa*, 63
Crepis integra, 374
 — *japonica*, 375
Crescentia cucurbitifera, 367
 — *cucurbitina*, 367
Crinita capensis, 369
Crinum angustifolium, 326
Cristaria adenophora, 259
 Critical consideration of Houttuyn's new genera and new species of plants, 1773–1783, A, 291
CROIZAT, LEON, A misinterpreted Formosan species, *Euphorbia calonesiaca*, spec. nov., 97
 — Notes on Chinese Euphorbiaceae, 134
 — *ALFRED REHDER* and *ERNEST J. PALMER*, Seven binomials proposed as nomina ambigua, 282
Croton ricinocarpos, 353
 — *ricinokarpos*, 353
Cryptocarya hainanensis, 32
Cyclophorus hastatus, 312
Cynometra ramiflora, 345
Cyperus javanicus, 321
 — *javanicus*, 322
 — *Kükenthalii*, 322
 — *pennatus*, 321
Cyrtomium falcatum, 312
 Cytological evidence on the status of the genus *Chamaecrista* Moench, 153, fig.
Danthonia lupulina, 318
Debregeasia obovata, 23
Decaspermum albociliatum, 202
 — *cambodianum*, 201, 245
 — *fruticosum*, 201, 245
 — *fruticosum*, 202
 — *gracilentum*, 202, 245
 — *hainanense*, 200, 245
Delia segetalis, 337
Dendrobium Monile, 330
 — *moniliforme*, 330
Dendroglossa quercifolia, 315
Dendropanax Chevalieri, 59
 — *venosus*, 58
Desmodium gyrans, 346
 — *motorium*, 345
Dialium coromandelicum, 353
Dianthus minutus, 338
 — *frutescens*, 338
 — *fruticosus*, 338
 — *prolifer*, 338
Diascia capensis, 365
 — *nemophiloides*, 365
Dichrocephala latifolia, 371
Dictamnus capensis, 350
Didesmus aegyptius, 342

- Didymochlaena truncatula*, 313
Dolichos hirsutus, 348
 — *japonicus*, 349
 — *polystachyos*, 349
 — *trilobus*, 348
Dracocephalum thymiflorum, 363
 — *thymifolium*, 363
Dracontium cordatum, 323
Drosodendron rosmarinus, 194
Dryopteris acuminata, 313
 — *sophoroides*, 313
Dussia grandifrons, 118
Duvava fasciculata, 257
 — *molle*, 256
 — *velutina*, 256
 Effect of colchicine on the developing embryo sac of *Tradescantia paludosa*, The, 442, pl. 224, 225
 Effect of colchicine on somatic cells of *Tradescantia paludosa*, The, 158, pl. 219, 220
Ehretia tenuifolia, 362
 — *tinifolia*, 362
Elaeocarpus argyrodes, 50
 — *Griffithii*, 50
 — *griseo-puberulus*, 51
Elaeodendron Fortunei, 76
Elichrysum fulgidum, 372
Elodea axillaris, 151
 — *floribunda*, 151
 — *pauciflora*, 151
 — *petiolata*, 151
 — *tubulosa*, 151
Elodes petiolata, 151
 — *tubulosa*, 151
Elsholtzia cristata, 66
 — *Patrini*, 65
Embelia Henryi, 61
Epidendrum Monile, 330
 — *moniliferum*, 330
 — *moniliforme*, 330
 Epilobium and Abies, Pucciniastrum on, 163
Erica pulchella, 359
 — *splendida*, 359
Erigeron capense, 375
 — *falcatum*, 70
Erinus alpinus, 366
 — *europaeus*, 366
Eriophorum virginianum, 322
 — *virginicum*, 322
Erodium chilense, 252
Ethulia paniculata, 371
Eucalyptus, 193
Eucomis comosa, 323
 — *punctata*, 323
Eugenia abortiva, 101
 — *acuminata*, 19
 — *acuminatissima*, 12, 205, 233, 245
 — *antiseptica*, 224
 — *attenuatifolia*, 13
 — *attopeuensis*, 107
 — *balsamea*, 108, 230
 — *baviensis*, 102
 — *Boisiana*, 115, 219
 — *Bonii*, 103
 — *brachiata*, 106
 — *brachyandra*, 17
 — *brachynema*, 16
 — *bracteolata*, 19
 — *Bullockii*, 107, 238
 — *cambodiana*, 105
 — *campylocarpa*, 116
 — *Championii*, 19
 — *Championii*, 219
 — *Chanlos*, 109
 — *chinensis*, 245
 — *ciliaris*, 201
 — *cinerea*, 106
 — *clausa*, 247
 — *claviflora*, 221
 — — *leptantha*, 222
 — *cochininchinensis*, 107
 — *compongensis*, 112
 — *corticosa*, 105
 — *Cumingiana*, 12, 205
 — *Cumini*, 108, 230
 — *cymosa*, 110, 112
 — *Deckeri*, 102, 225
 — *dispansa*, 18
 — *divaricato-cymosa*, 245, 247
 — *dumetorum*, 195
 — *eburnea*, 107
 — *elliptica*, 16
 — *Esquirolii*, 201, 245
 — *eucaudata*, 13
 — *euonymifolia*, 242
 — *Finetii*, 116

Eugenia fluviatilis, 103, 232, 241
 — *fruticosa*, 109, 231
 — *glomerulata*, 112
 — *gracilenta*, 202, 245
 — *grandis*, 112
 — *Grijsii*, 233
 — *hainanensis*, 200, 245
 — *Harmandii*, 115
 — *hemilampra*, 15
 — *Henryi*, 219
 — *Holtzei*, 247
 — *irregularis*, 107
 — *Jambolana*, 108, 230
 — *Jambos*, 114, 217
 — — *sylvatica*, 114, 218
 — *javanica*, 115, 216
 — *kwangtungensis*, 241
 — *laevifolia*, 18
 — *laosensis*, 113
 — *latilimba*, 216
 — *leptalea*, 222
 — *leptantha*, 222
 — *leucocarpa*, 112, 224
 — *Levinei*, 110, 227
 — *lineata*, 109
 — *longicalyx*, 109
 — *longiflora*, 109
 — *Maclurei*, 219
 — *macrophylla*, 215
 — *malaccensis*, 114, 215, 217
 — — *purpurea*, 215
 — *marivelesensis*, 109
 — *mekongensis*, 102
 — *melanosticta*, 12
 — *Michelii*, 204
 — *microphylla*, 104, 234
 — *Millettiana*, 102, 110, 225, 227, 233
 — *minutiflora*, 242
 — *Miquelii*, 109
 — *multipunctata*, 201, 245
 — *myrsinifolia*, 226
 — *myrtifolia*, 224
 — *oblata*, 101
 — *operculata*, 245, 246
 — *pachysarca*, 111
 — *pellucida*, 114
 — *Pierrei*, 114
 — *polyantha*, 108
 — *pseudosubtilis platyphylla*, 106

Eugenia purpurea, 215
 — *pyxophylla*, 233
 — *resinosa*, 108
 — *saligna*, 12, 205, 245
 — *sinensis*, 104, 234
 — *Smithii*, 16
 — — *coriacea*, 15
 — — *minor*, 16
 — sp., 234
 — *sphaerantha*, 113
 — *spicata*, 101, 224
 — *subdecurrens*, 13, 205, 245
 — *tephrodes*, 223
 — *tetragona*, 229
 — *Teysmanni*, 109
 — *Thorelii*, 107
 — *tinctoria*, 112
 — *tonkinensis*, 105
 — *Tramnion*, 111
 — *Tsoi*, 108, 230
 — — *Tsoongii*, 112, 224
 — *uniflora*, 203
 — *varians*, 224
 — *zeylanica*, 101, 224
 — *Zimmermannii*, 114
Euonymus rhodacanthus, 42
Eupatorium ageratoides, 371
 — *altissimum*, 371
 — *rugosum*, 371
 — *urticaefolium*, 371
Euphorbia calonesiaca, 98
 — *corrigooides*, 352
 — *Nebrownii*, 352
 — *nodosa*, 352
 — *nodosa*, 352
 — *orientalis*, 98
Euphorbiaceae, Notes on Chinese, 134
Evonymus Balansae, 42
 — *Carrierei*, 79
 — *Forbesiana*, 42
 — *Fortunei*, 75, pl. 218
 — — *alticola*, 77
 — — *Carrierei*, 79
 — — *colorata*, 77
 — — *gracilis*, 78
 — — *minima*, 79
 — — *radicans*, 77
 — — *reticulata*, 78
 — — *vegeta*, 80

- Evonymus gracilis*, 77, 78
 — — *argenteo-variegatus*, 78
 — — *roseo-variegatus*, 78, 79
 — *japonica acuta*, 76
 — — *Carrierei*, 79
 — — *gracilis*, 78, 79
 — — *radicans*, 77, 79
 — — *reticulatus*, 78
 — — *tricolor*, 79
 — — *viridis*, 78
 — *Petelotii*, 41
 — *radicans*, 77
 — — *acuta*, 76
 — — *altiloba*, 77
 — — *argenteo-marginatus*, 78
 — — *Carrierei*, 80
 — — *colorata*, 77
 — — *gracilis*, 78
 — — *kewensis*, 79
 — — *minimus*, 79
 — — *pictus*, 78, 79
 — — *reticulatus*, 78
 — — *variegata*, 78
 — — *vegetus*, 80
 — — *viridis*, 78
 — *repens*, 78
 — *tricolor*, 79
- FAULL, J. H. The biology of rusts of the genus *Uredinopsis*, 402
- *Pucciniastrum* on *Epilobium* and *Abies*, 163
- Feronia Limonia*, 351
- Festuca maritima*, 318
- Ficus Bonii*, 23
 — *cardiophylla*, 23
 — *Cavaleriei*, 23
 — *Tikoua*, 23
- Fissistigma acuminatissimum*, 29
 — *Petelotii*, 29
- Flacourtie indica*, 356
- Fomes* sp., 311
- Fragaria nilgerrensis*, 34
- Fritillaria corona imperialis*, 324
 — *imperialis*, 323
 — *punctata*, 323
- Fucus variolosus*, 311
 — *verrucosus*, 311
- Gardenia longifolia*, 152
 — *petiolata*, 151
- Gentiana quinqueflora*, 360
- Gentiana quinquefolia*, 360
- Geranium Chelidonium*, 350
 — *hybridum*, 350
 — *spurium*, 350
- Gilibertia Chevalieri*, 59
- Gladiolus alopecuroides*, 329
 — *crispus*, 330
 — *laceratus*, 330
 — *lacerus*, 330
 — *liliaceus*, 326
 — *recurvus*, 326
- Gleichenia glauca*, 316
 — *linearis*, 316
- Glia gummifera*, 357
- Glumosia palmifolia*, 399
- Glycine floribunda*, 349
- Gmelina indica*, 356
 — *javanica*, 356
 — *speciosissima*, 67
- Gnaphalium aureum*, 372
- Gomphandra obscurinervis*, 44
- Gomphrena sessilis*, 336
- Gorteria cruciata*, 370
 — *spinosa*, 369
- Grangea latifolia*, 371
- Gratiola hyssopifolia*, 366
 — *hyssopoides*, 366
 — *Monnieria*, 365
- Gymnopetalum quinquelobatum*, 70
- Gymnopteris quercifolia*, 315
- Gynostemma crenulatum*, 69
 — *laxum*, 69
 — *siamicum*, 70
- Haberlia grandis*, 353
- Hartia kwangtungensis*, 55
 — *tonkinensis*, 54, fig.
 — *villosa*, 55
- Hasselquistia aegyptiacum*, 358
 — *orientalis*, 358
- Hedysarum gyrans*, 346
 — *motorium*, 346
 — *vaginale*, 344
- Helianthus decapetalus*, 372
 — *dodecapetalus*, 372
- Helichrysum aureum*, 372
 — *fulgidum*, 372
- Heliotropium orientale*, 362
- Helicia annularis*, 23
 — *cauliflora*, 24

- Helicia Petelotii*, 24
— stenophylla, 25
Helleborus trifoliatus, 339
— trifolius, 339
Helvella subterranea, 311
Hemerocallis lancifolia, 324
Hemimeris bonaë-spei, 365
— montana, 366
— racemosa, 366
Herpestis Monnieria, 365
Hexagonia sp., 311
Hieracium murorum, 372
— Myophoron, 372
Holboellia grandiflora, 27
Homalomena cordata, 323
Horsfieldia sylvestris, 341
Hosta japonica, 324
— lancifolia, 324
Houttuynia capensis, 327
Houttuyn's new genera and new species of plants, 1773–1783, A critical consideration of, 291
Huodendron biaristatum, 62
Hydrolea zeylanica, 361
Hymenopogon parasiticus, 69
Hypericum, Nomenclatural notes on, 149, 279
Hypericum aegyptiacum, 355
— aegypticum, 355
— aegyptium, 355
— ambiguum, 149
— amoenum, 149
— arborescens, 150
— ascyroides β , 149
— aspalathoides, 279
— attenuatum, 56
— aureum, 149
— axillare, 151
— campanulatum β , 151
— fasciculatum, 150, 279
— frondosum, 149
— galoides *ambiguum*, 149
— — axillare, 279
— — cubense, 279
— — pallidum, 149
— limosum, 279
— nitidum, 150
— paludosum, 151
— petiolatum, 151, 279
Hypericum petiolatum tubulosum, 152
— prolificum aureum, 149
— revolutum, 150
— Rugelianum, 149
— spathulatum, 149
— sp., 150
— tubulosum, 151
— tubulosum, 279
— — Walteri, 279
— Walteri, 151
— — tubulosum, 151
— Walteri, 279
— — tubulosum, 279
Ilex ampla, 123
— gracilipes, 124
— macrocarpa, 41
— quercetorum, 122
Illecebrum indicum, 336
— sessile, 336
Illicium parvifolium, 27
Ilysanthes hyssopioides, 366
Indo-Chinese species of Syzygium Gaertner, On the, 99
Ipomoea biflora, 361
— cymosa, 361
— pilosa, 361
Ischaemum ciliare, 320
— indicum, 320
— muticum, 319
Itea rosmarinus, 194
Ixia abbreviata, 327
— campanulata, 327
— dispar, 327
— maculata, 327
— paniculata, 327
— plantaginea, 329
— speciosa, 327
— triticea, 329
Ixora gracilipes, 68
— hainanensis, 67
— Pierrei, 68
Jambolifera chinensis, 230
— pedunculata, 108, 230
Jambosa acuminatissima, 12, 205
— bracteata, 224
— chinensis, 19
— domestica, 215
— firma, 112
— Jambos, 114, 217

- Jambosa latifolia*, 109
 — *lineata*, 109
 — *malaccensis*, 215
 — *melanosticta*, 12
 — *purpurascens*, 215
 — *rubricaulis*, 109
 — *samarangensis*, 115, 216
 — *syzygioides*, 109
 — *Teysmanni*, 109
 — *vulgaris*, 114, 217
Jasminum Duclouxii, 63
 — *dumicolum*, 63
 — *javanicum*, 360
 — *longisepalum*, 62
 — *longisetum*, 62
 — *oblongum*, 360
 — *pentaneurum*, 63
 — *Schneideri*, 63
- JOHNSTON, IVAN M. New or noteworthy plants from temperate South America, 248
 — Notes on some *Astragalus* species of Ecuador and Peru, 88
 — Some undescribed species from Mexico and Guatemala, 117
 — The species of *Sisyrinchium* in Uruguay, Paraguay and Brazil, 376
- Juncus zeilanicus*, 322
Kadsura grandiflora, 28
Kalesiam, 353
Kerria japonica, 343
Lactuca brevirostris, 373
 — *denticulata*, 373
 — *indica*, 373
 — *laciñata*, 373
 — *lanceolata*, 373
 — *squarrosa*, 373
Lagerstroemia angustifolia, 57
 — *calyculata*, 57
Laggera flava, 70
Lannea coromandelica, 353
 — *grandis*, 353
Lasianthus Labordei, 69
Lathyrus japonicus, 346
 — *lomanus*, 250
 — *pisiformis*, 346
Laurus bilocularis, 30
Lavandula multifida, 363
 — *multipartita*, 363
- Leidesia capensis*, 353
 — *procumbens*, 353
Leonurus japonicus, 363
 — *japonicus*, 363
 — *macranthus*, 363
Leptochilus zeylanicus, 315
Leucadendron fusciflorum, 332
 — *lineare*, 332
 — *pedunculatum*, 331
 — *tortum*, 332
 — *tortum*, 332
Lilium album, 324
 — *candidum*, 324
 — *japonicum*, 324
 — *pomponicum*, 325
 — *pomponium*, 325
Limonia acidissima, 351
 — *aurantifolia*, 351
 — *diphylla*, 345
 — *pinnatifolia*, 351
Lindera Chunii, 31
Linum capense, 350
Lithospermum javanicum, 362
 — *plebejum*, 362
Litrea Molle, 256
Litsea euosma, 31
 — *multiumbellata*, 31
 — *verticillata*, 31
Lomastelma, 9
 — *elliptica*, 16
Lotonotis umbellata, 346
 LOTT, HENRY J. Nomenclatural notes on *Hypericum*, 149, 279
Lotus capensis, 346
 — *monophyllus* 344
Ludwigia trifolia, 368
 — *trifoliata*, 368
Lycianthes denticulata leiophylla, 66
Lysimachia Monnierii, 365
 — *Petelotii*, 61
 — *Pierrei*, 61
 — *quadrifolia*, 359
 — *ramosa*, 61
Macaranga Henryi, 40
Machilus oreophila, 31
Mallotus albus, 144
 — *apelta*, 142
 — — *chinensis*, 143
 — — *tenuifolius*, 137

- Mallotus barbatus*, 134
 — — *pedicellaris*, 135
 — *chrysocarpus*, 147
 — *contubernalis*, 145, 146
 — *Esquirolii*, 134
 — *Henryi*, 40
 — *illudens*, 146
 — *Leveillanus*, 135
 — *Leveilleanus*, 135, 462
 — *Leveillei*, 135
 — **Lianus**, 140
 — *japonicus*, 139
 — *japonicus*, 137
 — *Millietii*, 147
 — — *atricha*, 147
 — *nepalensis*, 135
 — — *floccosus*, 137
 — — **kwangtungensis**, 136
 — — *ochraceo-albidus*, 136
 — *oreophilus floccosus*, 137, 138
 — *Paxii*, 143
 — *repandus*, 146, 147
 — *repandus*, 145
 — — *chrysocarpus*, 147
 — — **megaphyllus**, 146
 — *Roxburghianus glabra*, 144
 — *Stewardii*, 143
 — *tenuifolius*, 137
 — — *floccosus*, 138
 — — **subjaponicus**, 138
Malva coromandeliana, 354
 — *coromandelica*, 354
 — *diminutiva*, 260
Malvastrum coromandelianum, 354
 — *diminutivum*, 260
 — *mollendoense*, 260
 — *tricuspidatum*, 354
Margyricarpus alatus, 250
 — **caespitosus**, 250
 — *Clarazii*, 250
 — **inermis**, 250
 — *microphyllus*, 250
 — *Niederleinii*, 250
 — **paucijugatus**, 249
Marica palmifolia, 399
Martia petiolata, 151
 — *polyandra*, 355
Massonia depressa, 331
 — *latifolia*, 331
Maurocenia cochinchinensis, 43
 — *Zollingeri*, 42
Medeola virginiana, 325
 — *virginica*, 325
Melaleuca Leucadendron, 193
Meliosma Clemensiorum, 47
 — *dolichobotrys*, 47
 — *dumicola*, 49
 — *Fordii*, 49
 — **Petelotii**, 48
 — **sterrophylla**, 48
Melochia umbellata, 354
Melodinus Duclouxii, 63
Memecylon confertiflorum, 58
 — *floribundum*, 230
Menispernum glabrum, 340
Mentha Patrini, 66
Menyanthes ovata, 360
Mercurialis procumbens, 353
Merremia umbellata, 361
MERRILL, E. D. A critical consideration
 of Houttuyn's new genera and new
 species of plants, 1773–1783, 291
 — New or noteworthy Indo-Chinese
 plants, 21, 3 figs.
 — and L. M. PERRY, On the Indo-
 Chinese species of *Syzygium* Gaertner,
 99
 — — The Myrtaceae of China, 191
 — — A synopsis of *Acmena* DC., a
 valid genus of the Myrtaceae, 1
Mespilus prunifolia, 74
Micranthus alopecuroides, 329
 — *plantagineus*, 329
Microlepia marginata, 313
 — *strigosa*, 314
Micropus globuliferus, 261
Mimosa Senegal, 344
 — *senegalensis*, 344
Mirabilis campestris, 248
 — *ovata*, 248
Misanthus japonicus, 320
 Misinterpreted Formosan species, Eu-
 phobia calonesiaca, spec. nov., A, 97
Moraea alata, 383
 — *palmifolia*, 399
Morgania hyssopoides, 366
Munronia heterophylla, 39
 — **Petelotii**, 37, fig.

- Mussaenda Squiresii*, 68
Myagrum aegyptiacum, 342
— *aegyptium*, 342
Myriadenus tetraphyllus, 349
Myriandra Brathydis, 150
— *nitida*, 150
Myristica aromatica, 342
— *fatua*, 342
— *fragrans*, 342
— *sylvestris*, 341
Myrobalanifera citrina, 357
Myrtaceae of China, The, 191
Myrtus acuminatissima, 12, 205
— *androsaemoides*, 107, 238
— *brasiliiana*, 204
— *canescens*, 197
— *communis*, 199
— *corticosa*, 105
— *Cumini*, 108, 230
— *dumetorum*, 195
— *Jambos*, 114, 217
— *lepidocarpa*, 224
— *Leucadendra*, 194
— *lineata*, 109
— *samarangensis*, 115, 216
— *Smithii*, 16
— *tomentosa*, 197
— *trinervia*, 195
— *zeylanica*, 101, 224
Nama zeylanica, 361
Nelitris trinervia, 195
Nepeta incana, 362
Nephrolepis acuminata, 314
Nerine sarniensis, 325
Nertera sinensis, 68
New or noteworthy Indo-Chinese plants,
21, 3 figs.
New or noteworthy plants from tem-
perate South America, 248
New species of *Bauhinia* from China,
129
New species, varieties and combinations
from the collections of the Arnold
Arboretum, 264
New species, varieties and combinations
from the herbarium and the collec-
tions of the Arnold Arboretum, 71,
pl. 217, 218
Nomenclatural notes on *Hypericum*,
149, 279
Nomina ambigua, Seven binomials pro-
posed as, 282
Notes on Chinese Euphorbiaceae, 134
Notes on some *Astragalus* species of
Ecuador and Peru, 88
Nototriche diminutiva, 260
— *nana*, 260
Nyssa sinensis, 58
Odina Wodier, 353
Oenanthe capensis, 357
Oldenlandia biflora, 368
— *paniculata*, 368
Onoclea quercifolia, 315
Ononis umbellata, 346
Opa odorata, 102, 225
Ophioglossum acuminatum, 314
— *zeilanicum*, 315
Ophiorrhiza Mungos, 368
— *ostindica*, 368
Orchis cornuta, 331
Oreocnide obovata, 23
Oreomyrrhis daucifolia, 125
— *orizabae*, 126
— *tolucana*, 127
Ornithogalum dubium, 325
— *punctatum*, 323
— *thyrsoides*, 325
Ornithopus quadriphyllus, 349
— *tetraphyllus*, 349
Orthrosanthus spicatus, 400
Osmanthus Matsumuranus, 63
Osmunda japonica, 316
— *lancea*, 316
— *trifida*, 315
— *virginiana*, 317
— *virginica*, 317
Osteospermum polygaloides, 374
Ostrya multinervis, 71, pl. 217
Oxalis checoensis, 261
Oxybaphus campestris, 248
— *ovatus*, 248
Paederota bonae-spei, 365
— *capitis bonae-spei*, 365
— *racemosa*, 366
Palaua mollendoensis, 260
Pallasia capensis, 351

- PALMER, ERNEST J., ALFRED REHDER and LEON CROIZAT, Seven binomials proposed as nomina ambigua, 282
- Panax trifoliatum*, 357
— *trifolius*, 357
- Parvatia Brunoniania*, 27
- Paulownia Fargesii*, 67
- Pavetta Caffra*, 369
— *capensis*, 369
— *corymbosa*, 369
- Pedicularis euphrasioides*, 366
— — *labradorica*, 367
— *labradorica*, 366
- Pelargonium Chelidonium*, 349
— sp., 350
- Pellaea pteroides*, 314
- Pentaphylax spicata*, 40
- Perotis indica*, 320
— *latifolia*, 320
- PERRY, L. M. & E. D. MERRILL, A synopsis of *Acmena* DC., a valid genus of the Myrtaceae, 1
— — On the Indo-Chinese species of *Syzygium* Gaertner, 99
— — The Myrtaceae of China, 191
- Persicaria senticosa*, 335
— *Truellum*, 335
- Peziba limbosa*, 311
- Phaca Edmonstonei*, 95
- Phalangium spicatum*, 329
- Phleum indicum*, 320
- Photinia prunifolia*, 34
— *serrulata prunifolia*, 34
- *Tsaii*, 274
- Pileostegia viburnoides*, 32
- Pinus maritima*, 282
- Pirus Bodinieri*, 201
- Pisum maritimum*, 346
- Pittosporum oblongilimbum*, 33
- Plagiobotrys orientalis*, 362
- Platea latifolia*, 44
- Platycarya strobilacea*, 22
- Pleuropterus cuspidatus*, 334
— *Zuccarinii*, 334
- Plinia pedunculata*, 204
— *rubra*, 204
- Podalyria calyprata*, 347
- Podocarpus argotaenia*, 22
— *insignis*, 22
- Polianthes tuberosa*, 326
- Polybotrya quercifolia*, 315
- Polygala empetrifolia*, 352
— *japonica*, 352
— *teretifolia*, 352
- Polygonum chinense*, 333
— *chinense*, 335
— *cuspidatum*, 334
— *multiflorum*, 335
— *pictum*, 334
— *proliferum*, 336
— *Reynoutria*, 334
— *senticosum*, 335
— *Sieboldii*, 334
— *Truellum*, 335
— *viviparum*, 336
— *Zuccarinii*, 334
- Polyosma dolichocarpa*, 32
- Polypodium acuminatum*, 313
— *cristatum*, 314
— *dichotomum*, 313
— *falcatum*, 312
— *glaucum*, 316
— *incurvatum*, 315
— *japonicum*, 312
— *lineare*, 316
— *marginale*, 313
— *marginatum*, 313
— *pedatum*, 316
— *sophoroides*, 313
— *trilobum*, 314
- Polystichum falcatum*, 312
- Porlieria chilensis*, 253
- Premna interrupta*, 65
- Prenanthes denticulata*, 373
— *integra*, 374
— *japonica*, 375
— *laciniata*, 373
— *lanceolata*, 374
— *lyrata*, 375
- Prismatomeris Labordei*, 69
— *linearis*, 69
- Protea arborea*, 332
— *glomerata*, 332
— *grandiflora*, 332
— *linearis*, 332
— *pedunculata*, 332
— *sphaerocephala*, 332
- Prunus acuminata*, 35

- Prunus guatemalensis*, 118
 — *nana*, 275
 — — *alba*, 276
 — — *albiflora*, 277, 278
 — — *angustifolia*, 276
 — — *campestris*, 277
 — — *cochininchinensis*, 278
 — — *georgica*, 275
 — — *Gessleriana*, 276
 — — *rubra*, 276
 — — *spathulata*, 277
 — — *typica*, 275
 — *Skutchii*, 117
 — *tenella*, 275
 — — *alba*, 276
 — — *albiflora*, 277
 — — *angustifolia*, 276
 — — *campestris*, 277
 — — *Gessleriana*, 276
 — *Wallichii*, 35
Pseuduvaria indochinensis, 28
Psidium Cattleianum, 199
 — *Guajava*, 198
 — *littorale*, 199
 — *pomiferum*, 199
 — *pyriferum*, 199
 — *variabile*, 199
Psilocarphus Berteri, 261
 — *chilensis*, 262
 — *globuliferus*, 261
Psoralea capitata, 348
 — *ensifolia*, 348
 — *multicaulis*, 348
Pteris ensifolia, 315
 — *ensiformis*, 315
 — *orbiculata*, 314
Pucciniastrum on *Epilobium* and *Abies*, 163
Pueraria Thunbergiana, 348
 — *triloba*, 348
Pygeum lancilimum, 34
Pyrus arbutifolia atropurpurea, 75
 — *atropurpurea*, 75
 — *floribunda*, 74
 — *melanocarpa atropurpurea*, 75
Quercifilix zeilanica, 315
Quercus rubra, 283
 — *serrata*, 284
Quillaja petiolaris, 260
Rademachia rotunda, 331
Rajania quinata, 339
Ranunculus pyrenaeus, 339
 — *pyrenaicus*, 339
Rapanea yunnanensis, 61
Rapistrum aegyptium, 342
Reevesia pubescens, 53
 REHDER, ALFRED, New species, varieties and combinations from the collections of the Arnold Arboretum, 264.
 — New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum, 71, pl. 217, 218.
 — ERNEST J. PALMER and LEON CROIZAT, Seven binomials proposed as nomina ambigua, 282.
 Relation between stomata counts and chromosome number, The, 437
Renealmia capensis, 360
Reseda undata, 343
 — *undulata*, 343
Reynoutria japonica, 334
Rhamnus griseus, 49
Rheedia americana, 355
 — *javanica*, 355
 — *lateriflora*, 355
 — *umbellata*, 355
Rhodamnia dumetorum, 195
 — — *hainanensis*, 196
 — *siamensis*, 195
 — *trinervia*, 195, 196
Rhododendron viscosum, 359
Rhodomyrtus tomentosa, 196
Rohria cruciata, 370
 — *lanceolata*, 369
 — *ovovata*, 369
Rotala verticillaris, 356
 — *verticillata*, 356
Rubus japonicus, 343
Ruellia articulata, 365
Rumex japonicus, 336
 — *japonicus*, 336
 — *umbellatus*, 334
Ruta albiflora, 37
 — *chalepensis*, 352
 — *ulyssiponensis*, 352
Ruthea gummifera, 357
Saccharum japonicum, 320

- Salvia Bisermas*, 364
 — *Diformas*, 364
 — *Disermas*, 363
Samyda denticulata, 356
 — *serrulata*, 356
Sarcococca guatemalensis, 121
Satyrium coriifolium, 331
Sauraia Oldhami, 54
 SAX, HALLY J. The relation between stomata counts and chromosome number, 437
Saxifraga ajugifolia, 343
 — *ajugoides*, 343
Schinus andinus, 259
 — *bumelioides*, 258
 — *chilensis*, 256
 — *dependens*, 254
 — — *andinus*, 259
 — *fasciculatus*, 257
 — *gracilipes*, 257
 — *latifolius tomentosus*, 256
 — *Limonia*, 351
 — *microphyllus*, 258
 — *piliferus*, 256
 — *polygamus*, 254
 — *velutinus*, 256
Schisandra grandiflora, 28
Schizonotus Lindleyanus, 74
 — *tomentosus*, 74
Schizophagma viburnoides, 32
Schoepfia fragrans, 26
Scleria zeylanica, 322
Senecio varicosus, 374
 — *verrucosus*, 374
 SENN, HAROLD A. Cytological evidence on the status of the genus *Chamaecrista* Moench, 153, fig.
Serruria artemisifolia, 333
 — *pedunculata*, 332
Sesamum javanicum, 67
 Seven binomials proposed as nomina ambigua, 282
 Sisyrinchium in Uruguay, Paraguay and Brazil, The species of, 376.
Sisyrinchium alatum, 380
 — — *minor*, 380
 — *altissimum*, 383
 — *aurantiacum*, 381
 — *aureum*, 400
 — *Sisyrinchium avenaceum*, 377, 381
 — *Balansae*, 380
 — *Bermudianum minus*, 394
 — *biflorum*, 400
 — *Burchellii*, 399
 — *capillare*, 392
 — *Clarazii*, 381
 — *Claritae*, 378, 389
 — *coeruleum*, 400
 — *Comes*, 400
 — *commutatum*, 379, 393
 — *congestum*, 399
 — *crenatum*, 401
 — *distantiflorum*, 380
 — *eserrulatum*, 377, 382
 — *fasciculatum*, 378, 389
 — *Fiebrigii*, 377, 384
 — *flexuosum*, 400
 — *fluminense*, 401
 — *foliosum*, 380, 398
 — *geniculatum*, 391, 394
 — *giganteum*, 383
 — *Gilberti*, 399
 — *glandulosum*, 397
 — *Glaziovii*, 380
 — *gracile*, 381
 — *grande*, 383
 — *Hasslerianum*, 378, 387
 — *hirsutum*, 399
 — *Hoehnei*, 378, 387
 — *incurvatum*, 380
 — *iridifolium*, 390
 — *lanceolatum*, 400
 — *lateriflorum*, 400
 — *laxum*, 379, 391
 — *Luzula*, 378, 386
 — *macrocephalum*, 377, 383
 — *Mandoni*, 380
 — *Marchio*, 380
 — *marginatum*, 383
 — *megapotamicum*, 377, 381
 — *Metae*, 391
 — *micranthum*, 379, 390
 — *minus*, 379, 394
 — *minutiflorum*, 379, 395
 — *monostachyum*, 381
 — *nidulare*, 377, 383
 — *Ostenianum*, 378, 389
 — *pachyrhizum*, 380, 397

- Sisyrinchium palmifolium*, 399
— nidulare, 383
— parvifolium, 380
— Pearcei, 391
— piliferum, 379, 392
— platense, 380, 395
— platycaule, 388
— Proregia, 401
— pumilum, 400
— racemosum, 400
— restioides, 380
— Rosengurttii, 377, 381
— scabrum, 390
— scariosum, 378, 386
— secundiflorum, 393
— Sellowianum, 378, 388
— setaceum, 379, 394
— spicatum, 400
— subnudum, 378, 385
— sulcatum, 380
— trichanthum, 400
— uniflorum, 391
— vaginatum, 376, 380
— valdivianum, 391
— Weirii, 380
— Wettsteinii, 377, 384
Sloanea ampla, 124
Solanum pittosporifolium, 66
Sophora biflora, 347
— calyprata, 347
Sorbaria Lindleyana, 74
— tomentosa, 74
Sorbus floribunda, 74
Souza Comes, 400
— Marchio, 380
— Proregia, 401
Species of *Sisyrinchium* in Uruguay,
Paraguay and Brazil, The, 376
Spergularia segetalis, 338
Spiraea Lindleyana, 74
— sorbifolia, 74
— — Lindleyana, 74
Splachnidium rugosum, 311
Staff of the Arnold Arboretum, 461
Stauntonia Brunoniana, 27
— trifoliata, 27
Stellaria aquatica, 26
— autumnalis, 353
— paniculata, 26
Stenocalyx Michelii, 204
Stephania hernandifolia, 340
Sterculia scandens, 52
Steris javana, 361
— javanica, 361
Stewartia villosa, 55
Stipa sp., 321
Stobaea cruciata, 370
Styrax biaristatus, 62
Sutherlandia frutescens, 348
Syllisium buxifolium, 234, 462
Syllisium buxifolium, 104
Symplocos Guillauminii, 62
— trisepala, 62
Synopsis of *Acmena* DC., a valid genus
of the Myrtaceae, A, 1
Syzygium Gaertner, On the Indo-
chinese species of, 99
Syzygium abortivum, 101
— acuminatissimum, 12, 205
— acuminatum, 19
— altissimum, 12
— angkolanum, 247
— araiocladum, 225
— attopeuense, 107
— Augustinii, 231
— balsameum, 108, 229
— baviense, 102
— Boisianum, 115, 219
— Bonii, 102
— brachyantherum, 218
— brachynemum, 16
— brachythyrsum, 239
— bracteatum, 224
— Bullockii, 107, 238
— buxifolium, 104, 234
— — austrosinense, 236
— cambodianum, 105
— campylocarpum, 116
— cathayense, 232
— Championii, 219
— Chanlos, 109
— Chunianum, 240
— cinereum, 106
— claviflorum, 19, 221
— coarctatum, 224
— cochinchinense, 107
— compongense, 112
— corticosum, 105

Syzygium crassiflorum, 114
 — *Cumingianum*, 13
 — *Cumini*, 108, 230
 — *eburneum*, 107
 — *euonymifolium*, 242
 — *Finetii*, 116
 — *fluviale*, 241
 — *Forrestii*, 238
 — *fruticosum*, 109, 231
 — *Gerrardi*, 19
 — *glomerulatum*, 112
 — *gracilellum*, 202, 245
 — *grande*, 112
 — *gratum*, 19
 — *Grijsii*, 233
 — *Hancei*, 242
 — *Handelii*, 233
 — *Harmandii*, 115
 — *Howii*, 243
 — *imitans*, 113, 219
 — *irregulare*, 107
 — *Jambolanum*, 108, 230
 — *Jambos*, 114, 217
 — — *sylvaticum*, 114, 218
 — *kwangtungense*, 241, 462
 — *lanceolatum*, 19
 — *laosense*, 113
 — *latilimum*, 216
 — *leptanthum*, 20, 222
 — *Levinei*, 110, 227
 — *lineatum*, 109
 — *longiflorum*, 109
 — *malaccense*, 215
 — *mekongense*, 102
 — *microphyllum*, 104, 234
 — *myrsinifolium*, 226
 — *myrtifolium*, 224
 — *nelitricarpum*, 110
 — *nervosum*, 246
 — *Nienkui*, 228
 — *nodosum*, 247
 — *oblatum*, 20, 101
 — *odoratum*, 102, 225
 — *operculatum*, 246, 247
 — *pachysarcum*, 111
 — *Petelotii*, 103
 — *Pierrei*, 114
 — *polyanthum*, 108
 — *polypetaloideum*, 217

Syzygium rameum, 229
 — *Rehderianum*, 243
 — *Rockii*, 223
 — *rysopodium*, 221
 — *salwinense*, 237
 — *samarangense*, 115, 216
 — *Smithii*, 16
 — *sphaeranthum*, 113
 — *stenocladum*, 220
 — *sterrophyllum*, 103, 232
 — *stictanthum*, 116
 — *subdecurrens*, 12, 205
 — *syzygioides*, 109
 — *szemaoense*, 105, 238
 — *tephrodes*, 223
 — *tetragonum*, 229
 — *Thorelii*, 107
 — *tinctorium*, 112
 — *tonkinense*, 105
 — *touranense*, 111
 — *Tramnion*, 111
 — *Tsoongii*, 112, 224
 — *vestitum*, 110
 — *Wightianum*, 20
 — *yunnanense*, 227
 — *zeylanicum*, 20, 101, 224
 — *Zimmermannii*, 114
Tarchonanthus camphoratus, 370
 — *ellipticus*, 370
Terminalia Chebula, 356
Tetracera Assa, 354
 — *indica*, 354
Tetraglochin alatum, 250
 — *caespitosum*, 250
 — *strictum*, 250
Teucrium japonicum, 364
 — *mauritanicum*, 364
 — *mauritanum*, 364
 — *Pseudochamaepitys*, 364
 — *Pseudopitys*, 364
Thesium linifolium, 333
 — *Linophyllum*, 333
Tilia alba, 289
 — *mesembrinos*, 52
Tinospora crispa, 340
 — *glabra*, 340
Tordylium aegyptiacum, 358
 — *Anthriscus*, 358
Torilis Anthriscus, 358

- Torilis japonicus*, 358
Tradescantia paludosa, The effect of colchicine on somatic cells of, 158, pl. 219, 220
Tradescantia paludosa, The effect of colchicine on the developing embryo sac of, 442, pl. 224, 225
Triadenum longifolium, 151
— *petiolatum* 151
Triceros cochinchinensis, 43
Trichomanes strigosum, 314
Trichostema foliis setaceis, 364
— *lineare*, 364
— *setaceum*, 364
Trigonotis macrophylla verrucosa, 64
Tripsacum hermaphroditicum, 317
— *hermaphroditum*, 317
Triticum hispanicum, 318
Tritonia crispa, 330
— *lacerata*, 330
Truellum japonicum, 335
— *senticosum*, 335
Tunica prolifera, 338
Turpinia cochinchinensis, 43
— *gracilis*, 42
— *indochinensis*, 43
— *montana*, 42
— *nepalensis*, 43
— *parva*, 42
Ulmus betulaefolia, 269
— *campestris*, 266
— — *betulaefolia*, 269
— — *carpinifolia*, 266, 267
— — *concavaefolia*, 271
— — *cornubiensis*, 270
— — *fastigiata*, 270
— — *fastigiata Dampieri*, 271
— — *fungosa*, 273
— — *glabra*, 266
— — *gracilis*, 272, 273
— — *Koopmanni*, 273
— — *laevis*, 266
— — *microphylla pendula*, 274
— — *nuda*, 266
— — *Orme glabre*, 266
— — *pendula*, 268, 269, 274
— — *propendens*, 274
— — *sarniensis*, 271
— — *stricta*, 270
Ulmus campestris suberosa, 273
— — *tiliaeefolia*, 269
— — *umbraculifera*, 272
— — *'variegata*, 268
— — *Webbiana*, 271
— — *Wheatleyi*, 271
— — *Wredei*, 272
— *carpinifolia*, 266
— — *angustifolia*, 269
— — *betulaefolia*, 269
— — *cornubiensis*, 270
— — *Dampieri*, 271
— — *gracilis*, 272
— — *Hunnybuni*, 269
— — *italica*, 274
— — *Koopmanni*, 273
— — *pendula*, 268
— — *propendens*, 274
— — *sarniensis*, 270
— — *Sowerbyi*, 270
— — *suberosa*, 273
— — *tiliaeefolia*, 269
— — *umbraculifera*, 272
— — *'variegata*, 268
— — *Webbiana*, 271
— — *Wredei*, 272
— — *celtidea*, 264
— — *glabra*, 264
— — *pilosa*, 264
— — *Dampieri Wredei*, 272
— *densa*, 272
— — *Dippeliana Dampieri*, 271
— — *Wredei*, 272
— — *exoniensis*, 265
— — *foliacea*, 266
— — *Dampieri*, 271
— — *gracilis*, 273
— — *italica*, 274
— — *Koopmanni*, 273
— — *pendula*, 269
— — *stricta*, 270
— — *suberosa*, 273
— — *umbraculifera*, 272
— — *'variegata*, 268
— — *Webbiana*, 271
— — *Wheatleyi*, 271
— — *Wredei*, 272
— — *Fordii*, 265
— — *glabra*, 264, 266, 270

- Ulmus glabra*, 264, 265
 — — *carpinifolia*, 266
 — — **exoniensis**, 264
 — — *fastigiata*, 265, 270
 — — *gracilis*, 272
 — — *koopmanni*, 273
 — — *monstrosa*, 265
 — — *pendula*, 268
 — — *propendens*, 274
 — — *replicata*, 265
 — — *stricta*, 270
 — — *suberosa*, 273
 — — *tiliaeefolia*, 269
 — — *umbraculifera*, 272
 — — *variegata*, 268
 — — *Webbiana*, 271
 — — *Wentworthii*, 269
 — *Koopmanni*, 273
 — *laevis celtidea*, 264
 — — *pilosa*, 264
 — *montana Dampieri*, 271
 — — *Dampieri aurea*, 272
 — — *Dampieri Wredei*, 272
 — — *fastigiata*, 264
 — — *fastigiata aurea*, 272
 — — *exoniensis*, 265
 — — *monstrosa*, 265
 — *nitens*, 266
 — — *betulaefolia*, 269
 — — *Dampieri*, 271
 — — *hunnybuni*, 269
 — — *italica*, 274
 — — *Koopmanni*, 273
 — — *pendula*, 269
 — — *sowerbyi*, 270
 — — *stricta*, 270
 — — *suberosa*, 273
 — — *umbraculifera*, 272
 — — *umbraculifera gracilis*, 273
 — — *variegata*, 268
 — — *Webbiana*, 271
 — — *Wheatleyi*, 271
 — — *Wredei*, 272
 — *nuda*, 266
 — *pedunculata celtidea*, 264
 — *reticulata sepearia*, 266
 — — *stricta*, 270
- Ulmus sarniensis*, 271
 — *sativa*, 266
 — — *angustifolia*, 269
 — — *carpinifolia*, 266
 — — *stricta*, 270
 — — *scabra Dampieri*, 271
 — — *exoniensis*, 265
 — — *fastigiata*, 265
 — — *monstrosa*, 265
 — — *pyramidalis*, 265
 — — *Wredei*, 272
 — — *stricta*, 270
 — — *sarniensis*, 271
 — — *Wheatleyi*, 271
 — — *suberosa*, 273
 — — *glabra*, 266
 — — *pendula*, 274
 — — *surculosa glabra*, 266
 — — *tetrandra*, 273
 — — *tiliaeefolia*, 269
 — — *tortuosa*, 270
 — — *vulgaris carpinifolia*, 267
 — — *suberosa*, 273
Ulva rugosa, 311
 Undescribed species from Mexico and
 Guatemala, Some, 117
Uredinopsis, The biology of rusts of
 the genus, 402
Uredinopsis ceratophora, 424
 — *longimucronata*, 410
 — *mirabilis*, 408
 — *Osmundae*, 414
 — *Phegopteridis*, 412
 — *Struthiopteridis*, 407
Vaccinium chapaense, 60
Ventilago leiocarpa, 50
Verbena carolina, 363
 — *caroliniana*, 363
Vernonia capensis, 375
 — *pinifolia*, 375
Villarsia capensis, 360
 — *ovata*, 360
Villebrunea paradoxa, 23
Viscum album, 333
 — *polycoccon*, 333
Visenia umbellata, 354
Volkameria Petasites, 65

- WALKER, RUTH L., The effect of colchicine on somatic cells of *Tradescantia paludosa*, 158, pl. 219, 220
— The effect of colchicine on the developing embryo sac of *Tradescantia paludosa*, 442, pl. 224, 225
- Watsonia humilis*, 330
- Wightia elliptica*, 66
— *gigantea*, 67
— *speciosissima*, 67
- Wisteria brachybotrys*, 349
— *floribunda*, 348
- Woodwardia orientalis*, 315
- Xenodendron*, 9
— *polyanthum*, 11
- Xeranthemum fulgidum*, 372
- Youngia integrifolia*, 374
— *japonica*, 375
- Zanonia laxa*, 69
- Zanthoxylum montanum*, 42
- Zornia myriadena*, 349
— *Sloanei*, 349
— *tetraphylla*, 349